

Pedidos

Como obter a lista de Pedidos cadastrados via API ?

URL: http://www.nomedoseusite.com.br/api_orders.php?cID=&postalcode=&cName=&email=&status=&payment=&assinatura_recorrente=&cancel_assinatura_recorrente=&date_from=&date_to=&action=orders_list

Parameter	Format	Description
cID	GET	Customer Id Only number is required Check the API to get the Customer Id
postalcode	GET	Post code of the shipping address or customer address Only number is required Example: 04267000
cName	GET	Customer name
email	GET	E-mail address of the customer
status	GET	Status for filter orders Check the API to get the Status
payment	GET	Payment for filter the orders
assinatura_recorrente	GET	1 = ACTIVE or 0 = INACTIVE Only number is required
cancel_assinatura_recorrente	GET	1 = ACTIVE or 0 = INACTIVE Only number is required
date_from	GET	Date from for filter orders Example: DD/MM/YYYY
date_to	GET	Date to for filter orders Example: DD/MM/YYYY

PHP Sample:

```
// sample list orders

$add_query_order = '';
$cID = '';
if ($cID != '') {
    $add_query_order .= '&cID='.$cID;
}
$postalcode = '';
if ($postalcode != '') {
    $add_query_order .= '&postalcode='.$postalcode;
}
```

Pedidos

```
$cName = '';
if ($cName != '') {
    $add_query_order .= '&cName='.$cName;
}
$email = '';
if ($email != '') {
    $add_query_order .= '&email='.$email;
}
$status = '';
if ($status != '') {
    $add_query_order .= '&status='.$status;
}
$payment = '';
if ($payment != '') {
    $add_query_order .= '&payment='.$payment;
}
$assinatura_recorrente = '';
if ($assinatura_recorrente != '') {
    $add_query_order .= '&assinatura_recorrente='.$assinatura_recorrente;
}
$cancel_assinatura_recorrente = '';
if ($cancel_assinatura_recorrente != '') {
    $add_query_order .= '&cancel_assinatura_recorrente='.$cancel_assinatura_recorrente;
}
$date_from = '';
if ($date_from != '') {
    $add_query_order .= '&date_from='.$date_from;
}
$date_to = '';
if ($date_to != '') {
    $add_query_order .= '&date_to='.$date_to;
}

$url = $domain_url . '/api_orders.php?action=orders_list'.$add_query_order;

$ch = curl_init($url);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);

curl_setopt($ch, CURLOPT_HTTPHEADER, array(
    'Content-Type: application/json',
    'Cache-Control: no-cache',
    'Usuariol: ' . base64_encode($usuariol),
    'Senha1: ' . base64_encode($senha1))
```

Pedidos

```
);
```

```
$result = curl_exec($ch);  
curl_close($ch);
```

```
print_r($result);
```

```
// sample list orders eof
```

Return:

```
orders_id  
customers_name  
customers_email_address  
order_total  
date_purchased  
orders_status_name  
payment_method
```

ID de solução único: #1585

Autor: : MFORMULA

Última atualização: 2018-08-30 13:04